

### **CERTIFICATE OF ANALYSIS**

: 1 of 3

Work Order : ES2427228 Page

Client : SMK CONSULTANTS PTY LTD Laboratory : Environmental Division Sydney

Contact : MR PETER TAYLOR : Contact : Customer Services ES

Address : P.O.Box 774 39 FROME STREET Address : 277-289 Woodpark Road Smithfield NSW Australia 2164

MOREE NSW, AUSTRALIA 2400

Telephone : +61 02 6752 1021 Telephone : +61-2-8784 8555

Project : 24-310 Midkin Cotton Gin Storm Water Overflow - EPL Point 42 Date Samples Received : 20-Aug-2024 11:40

Order number Date Analysis Commenced : 21-Aug-2024

 Order number
 : -- Date Analysis Commenced
 : 21-Aug-2024

 C-O-C number
 : sue Date
 : 27-Aug-2024 11:53

Sampler : ----Site : ----

Quote number : EN/333

No. of samples received : 1
No. of samples analysed : 1

Accreditation No. 825
Accredited for compliance with ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

#### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories Position Accreditation Category

Ankit Joshi Senior Chemist - Inorganics Sydney Inorganics, Smithfield, NSW

Page : 2 of 3 Work Order : ES2427228

Client : SMK CONSULTANTS PTY LTD

Project · 24-310 Midkin Cotton Gin Storm Water Overflow - EPL Point 42



#### **General Comments**

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ^ = This result is computed from individual analyte detections at or above the level of reporting
- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- EA016: Calculated TDS is determined from Electrical conductivity using a conversion factor of 0.65.

Page : 3 of 3
Work Order : ES2427228

Client : SMK CONSULTANTS PTY LTD

Project : 24-310 Midkin Cotton Gin Storm Water Overflow - EPL Point 42

# ALS

## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)			Sample ID	42 ABC Blowout No.42				
Sampling date / time				15-Aug-2024 00:00				
Compound	CAS Number	LOR	Unit	ES2427228-001				
				Result				
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C		1	μS/cm	650				
EA016: Calculated TDS (from Electrica	al Conductivity)							
Total Dissolved Solids (Calc.)		1	mg/L	422				
EA025: Total Suspended Solids dried	at 104 ± 2°C							
Suspended Solids (SS)		5	mg/L	155				
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N		0.01	mg/L	5.95				
EK061G: Total Kjeldahl Nitrogen By D	iscrete Analyser							
Total Kjeldahl Nitrogen as N		0.1	mg/L	2.7				
EK062G: Total Nitrogen as N (TKN + N	IOx) by Discrete Ar	nalyser						
^ Total Nitrogen as N		0.1	mg/L	8.6				
EK067G: Total Phosphorus as P by Di	screte Analyser							
Total Phosphorus as P		0.01	mg/L	0.62				
EP020: Oil and Grease (O&G)								
Oil & Grease		5	mg/L	<5				